

00169.001919



PATENT

\$ copy

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)
TIMOTHY JOHN LINDQUIST) : Examiner: Cicely Q. Ware
Appln. No.: 09/730,558) : Art Unit: 2634
Filed: December 7, 2000) :
For: INVERSE DWT METHOD AND) :
APPARATUS) :
U.S. Patent No.: 7,031,404 B2) :
Issued: April 18, 2006) : September 14, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Certificate
SEP 20 2006
of Correction

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

09/18/2006 SDENB081 00000022 7831484
01 FC:1811


100.00 0P

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

SEP 20 2006

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'RD', is written over a horizontal line.

Raymond DiPerna
Attorney for Patentee
Registration No. 44,063

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

590955v1

SEP 20 2008

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 16, "coder" should read --coder.--; and
Line 55, "In" should read --in--.

COLUMN 3

Line 7, "dimensions," should read --dimensions;--;
Line 21, "subband" should read --sub-band--;
Line 32, "subbands" should read --sub-bands--;
Line 54, "FIG. 1," should read --FIG. 1;--; and
Line 66, "two" should read --two---.

COLUMN 4

Line 13, "all" should read --an--;
Line 15, "horizontal a" should read --a horizontal--;
Line 22, "FIG. 13:" should read --FIG. 13;--;
Line 40, "dimensions" should read --dimensions.--; and
Line 58, "ie." should read --i.e.,--.

COLUMN 5

Line 10, "(ie" (both occurrences) should read --(i.e.,--;
Line 11, "(ie" should read --(i.e.,--;
Line 12, "(ie" (both occurrences) should read --(i.e.,--;
Line 18, "memory" should read --memory.--;
Line 36, "(ie." should read --(i.e.,--;
Line 42, "(ie." should read --(i.e.,--;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page

SEP 5 2005

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 50, "ie." should read --i.e.,--;
Line 54, "Bach" should read --Each--;
Line 56, "respectively" should read --respectively.--; and
Line 66, "downsampling" should read --down-sampling--.

COLUMN 6

Line 19, "ie," should read --i.e.,--
Line 36, "ie." should read --i.e.,--;
Line 41, "eg." should read --e.g.,--; and
Line 65, "ie." should read --i.e.,--.

COLUMN 7

Line 20, "ie" should read --i.e.,--;
Line 25, "implementation" should read --implementation.--;
Line 31, "ie" should read --i.e.,--;
Line 38, "upsampled" should read --up-sampled--; and
Line 47, "described," should read --described.--.

COLUMN 8

Line 19, "(ie." should read --(i.e.,--;
Line 20, "(ie." should read --(i.e.,--
Line 34, "eg." should read --e.g.,--; and
Line 40, "ie." should read --i.e.,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page

SEP 20 2006



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9

Line 5, "eg." should read --e.g.,--;
Line 14, "sots" should read --sets--;
Line 35, "(ie." should read --(i.e.,--;
Line 36, "depicted" should read --depicted,--;
Line 39, "eg." should read --e.g.,--;
Line 42, "eg." should read --e.g.,--;
Line 57, "a" should read --an--; and
Line 64, "level 0" should read --level 0.--.

COLUMN 10

Line 4, "eg." should read --e.g.,--;
Line 5, "eg." should read --e.g.,--;
Line 6, "eg." should read --e.g.,--;
Line 8, "(eg" should read --(e.g.,--; and "witch" should read --which--;
Line 12, "upconversion" should read --up-conversion--;
Line 15, "eg." should read --e.g.,--;
Line 17, "(ie." should read --(i.e.,--;
Line 22, "ie." should read --i.e.,--;
Line 28, "eg." should read --e.g.,--;
Line 34, "eg." should read --e.g.,--;
Line 35, "eg." should read --e.g.,--;
Line 40, "(ie." should read --(i.e.,--;
Line 41, "eg." should read --e.g.,--;
Line 46, "e.g." should read --e.g.,--;
Line 55, "In" should read --in--; and
Line 57, "eg." should read --e.g.,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page

SEP 20 2006



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 11

Line 25, " y_{ij-1} ." should read $--y_{ij+1}--$

Line 47, " y'_{ij-1} " should read $--y'_{ij+1}--$;

Line 50, "(up sampled)" should read $--(up-sampled)--$; and

Line 61, " y''_{ij-8} " should read $--y''_{ij-8}--$.

COLUMN 12

Line 10, "sub-band-" should read $--sub-band.--$

Line 15, "zero" should read $--zero.--$;

Line 45, "respectively" should read $--respectively.--$; and

Line 51, "feds" should read $--feeds--$.

COLUMN 13

Line 12, "re-arrangement" should read $--rearrangement--$;

Line 50, "feds" should read $--feeds--$; and

Line 59, "simultaneously" should read $--simultaneously--$.

COLUMN 14

Line 11, " x_{i-3j} ," should read $--x_{i-3j},--$;

Line 58, "shown)," should read $--shown).--$; and

Line 60, "(up sampled)" should read $--(up-sampled)--$.

COLUMN 15

Line 38, "eg." should read $--e.g.,--$;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page

APR 20 2006



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 39, "eg." should read --e.g.,--;
Line 40, "eg." should read --e.g.,--;
Line 41, "eg." should read --e.g.,--;
Line 44, "eg." should read --e.g.,--;
Line 52, "eg." should read --e.g.,--;
Line 54, "ie." should read --i.e.,--;
Line 57, "eg." should read --e.g.,--;
Line 60, "convolves." should read --convolvers.--;
Line 63, "one" should read --one---; and
Line 66, "ie." should read --i.e.,--.

COLUMN 16

Line 2, "eg." should read --e.g.,--;
Line 9, "outputs" should read --output--;
Line 16, "eg." should read --e.g.,--;
Line 19, "eg" should read --e.g.,--;
Line 21, "eg." should read --e.g.,--;
Line 27, "required" should read --required.--;
Line 29, "eg" should read --e.g.,--;
Line 38, "two" should read --two---;
Line 41, "ie" should read --i.e.,--;
Line 60, "example," should read --example.--; and
Line 64, "product" should read --product.--.

COLUMN 17

Line 29, "IBM-PC'S" should read --IBM-PCs--;
Line 34, "a-d" should read --and--; and

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

590955v1

2 2 0 2006



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 6 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 55, "sub functions" should read --sub-functions--.

COLUMN 19

Line 33, "wherein;" should read --wherein,--.

COLUMN 21

Line 1, "point" should read --points--; and

Line 6, "are" should read --is--.

COLUMN 22

Line 3, "are" should read --is--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page

2006



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 16, "coder" should read --coder.--; and
Line 55, "In" should read --in--.

COLUMN 3

Line 7, "dimensions," should read --dimensions;--;
Line 21, "subband" should read --sub-band--;
Line 32, "subbands" should read --sub-bands--;
Line 54, "FIG. 1," should read --FIG. 1;--; and
Line 66, "two" should read --two---.

COLUMN 4

Line 13, "all" should read --an--;
Line 15, "horizontal a" should read --a horizontal--;
Line 22, "FIG. 13:" should read --FIG. 13;--;
Line 40, "dimensions" should read --dimensions.--; and
Line 58, "ie." should read --i.e.,--.

COLUMN 5

Line 10, "(ie" (both occurrences) should read --(i.e.,--;
Line 11, "(ie" should read --(i.e.,--;
Line 12, "(ie" (both occurrences) should read --(i.e.,--;
Line 18, "memory" should read --memory.--;
Line 36, "(ie." should read --(i.e.,--;
Line 42, "(ie." should read --(i.e.,--;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 50, "ie." should read --i.e.,--;
Line 54, "Bach" should read --Each--;
Line 56, "respectively" should read --respectively.--; and
Line 66, "downsampling" should read --down-sampling--.

COLUMN 6

Line 19, "ie," should read --i.e.,--
Line 36, "ie." should read --i.e.,--;
Line 41, "eg." should read --e.g.,--; and
Line 65, "ie." should read --i.e.,--.

COLUMN 7

Line 20, "ie" should read --i.e.,--;
Line 25, "implementation" should read --implementation.--;
Line 31, "ie" should read --i.e.,--;
Line 38, "upsampled" should read --up-sampled--; and
Line 47, "described," should read --described.--.

COLUMN 8

Line 19, "(ie." should read --(i.e.,--;
Line 20, "(ie." should read --(i.e.,--
Line 34, "eg." should read --e.g.,--; and
Line 40, "ie." should read --i.e.,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9

Line 5, "eg." should read --e.g.,--;
Line 14, "sots" should read --sets--;
Line 35, "(ie." should read --(i.e.,--;
Line 36, "depicted" should read --depicted,--;
Line 39, "eg." should read --e.g.,--;
Line 42, "eg." should read --e.g.,--;
Line 57, "a" should read --an--; and
Line 64, "level 0" should read --level 0.--.

COLUMN 10

Line 4, "eg." should read --e.g.,--;
Line 5, "eg." should read --e.g.,--;
Line 6, "eg." should read --e.g.,--;
Line 8, "(eg" should read --(e.g.,--; and "witch" should read --which--;
Line 12, "upconversion" should read --up-conversion--;
Line 15, "eg." should read --e.g.,--;
Line 17, "(ie." should read --(i.e.,--;
Line 22, "ie." should read --i.e.,--;
Line 28, "eg." should read --e.g.,--;
Line 34, "eg." should read --e.g.,--;
Line 35, "eg." should read --e.g.,--;
Line 40, "(ie." should read --(i.e.,--;
Line 41, "eg." should read --e.g.,--;
Line 46, "e.g." should read --e.g.,--;
Line 55, "In" should read --in--; and
Line 57, "eg." should read --e.g.,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page



SEP 20 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 11

Line 25, " y_{ij-1} ." should read $--y_{ij+1}--$

Line 47, " y'_{ij-1} " should read $--y'_{ij+1}--$;

Line 50, "(up sampled)" should read $--(up-sampled)--$; and

Line 61, " y_{ij-8} " should read $--y_{ij-8}--$.

COLUMN 12

Line 10, "sub-band-" should read $--sub-band--$

Line 15, "zero" should read $--zero--$;

Line 45, "respectively" should read $--respectively--$; and

Line 51, "feds" should read $--feeds--$.

COLUMN 13

Line 12, "re-arrangement" should read $--rearrangement--$;

Line 50, "feds" should read $--feeds--$; and

Line 59, "simultaneously" should read $--simultaneously--$.

COLUMN 14

Line 11, " x_{i-3j} ," should read $--x_{i-3j}--$;

Line 58, "shown)," should read $--shown)--$; and

Line 60, "(up sampled)" should read $--(up-sampled)--$.

COLUMN 15

Line 38, "eg." should read $--e.g.--$;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 39, "eg." should read --e.g.,--;
Line 40, "eg." should read --e.g.,--;
Line 41, "eg." should read --e.g.,--;
Line 44, "eg." should read --e.g.,--;
Line 52, "eg." should read --e.g.,--;
Line 54, "ie." should read --i.e.,--;
Line 57, "eg." should read --e.g.,--;
Line 60, "convolves." should read --convolvers.--;
Line 63, "one" should read --one---; and
Line 66, "ie." should read --i.e.,--.

COLUMN 16

Line 2, "eg." should read --e.g.,--;
Line 9, "outputs" should read --output--;
Line 16, "eg." should read --e.g.,--;
Line 19, "eg" should read --e.g.,--;
Line 21, "eg." should read --e.g.,--;
Line 27, "required" should read --required.--;
Line 29, "eg" should read --e.g.,--;
Line 38, "two" should read --two---;
Line 41, "ie" should read --i.e.,--;
Line 60, "example," should read --example.--; and
Line 64, "product" should read --product.--.

COLUMN 17

Line 29, "IBM-PC'S" should read --IBM-PCs--;
Line 34, "a-d" should read --and--; and

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,404 B2

DATED : April 18, 2006

INVENTOR(S) : INVERSE DWT METHOD AND APPARATUS

Page 6 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 55, "sub functions" should read --sub-functions--.

COLUMN 19

Line 33, "wherein;" should read --wherein,--.

COLUMN 21

Line 1, "point" should read --points--; and

Line 6, "are" should read --is--.

COLUMN 22

Line 3, "are" should read --is--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,031,404 B2

No. of add'l. copies
@ 30¢ per page